

DJ-1681E



Model number	DJ-1681E
Dehumidify capacity(30 °C 80%RH)	168L/D
Supply voltage	380V/50Hz
Power consumption	2.5kW
Current draw	5.1A
Circulating air flow	2000m ³ /h
Humidity control range	40%-95%
Working temperature range	5~38°C
Drainage	Hose connection
Refrigerant	Eco-friendly R410a
Noise	≤55dB
Net weight	93 kgs
Gross Weight	114 kgs
Dimension(L*W*H)	620*400*1600mm
Packaging	700*480*1740mm

DJ-2181E



Model number	DJ-2181E
Dehumidify capacity(30 °C 80%RH)	210L/D
Supply voltage	380V/50Hz
Power consumption	3kW
Current draw	6.2A
Circulating air flow	2600m ³ /h
Humidity control range	40%-95%
Working temperature range	5~38°C
Drainage	Hose connection
Refrigerant	R407c / R410a
Noise	≤60dB
Net weight	106 kgs
Gross Weight	137 kgs
Dimension(L*W*H)	775*470*1700mm
Packaging	845*525*1880mm

DJ-2481E



Model number	DJ-2481E
Dehumidify capacity(30 °C 80%RH)	240L/D
Supply voltage	380V/50Hz
Power consumption	3.5kW
Current draw	7.2A
Circulating air flow	2800m ³ /h
Humidity control range	40%-95%
Working temperature range	5~38°C
Drainage	Hose connection
Refrigerant	R407c / R410a
Noise	≤60dB
Net weight	108 kgs
Gross Weight	139 kgs
Dimension(L*W*H)	775*470*1700mm
Packaging	845*525*1880mm

DJ-3881E



Model number	DJ-3881E
Dehumidify capacity(30 °C 80%RH)	360L/D
Supply voltage	380V/50Hz
Power consumption	5.5kW
Current draw	11.2A
Circulating air flow	3500m ³ /h
Humidity control range	40%-95%
Working temperature range	5~38°C
Drainage	Hose connection
Refrigerant	R407c / R410a
Noise	≤60dB
Net weight	178 kgs
Gross Weight	213.5 kgs
Dimension(L*W*H)	1185*445*1750mm
Packaging	1265*555*1885mm

DJ-4881E



Model number	DJ-4881E
Dehumidify capacity(30 °C 80%RH)	480L/D
Supply voltage	380V/50Hz
Power consumption	6.5kW
Current draw	13.5A
Circulating air flow	4000m ³ /h
Humidity control range	40%-95%
Working temperature range	5~38°C
Drainage	Hose connection
Refrigerant	R407c / R410a
Noise	≤65dB
Net weight	185 kgs
Gross Weight	221 kgs
Dimension(L*W*H)	1185*445*1750mm
Packaging	1265*555*1885mm

DJ-7281E



Model number	DJ-7281E
Dehumidify capacity(30 °C 80%RH)	720L/D
Supply voltage	380V/50Hz
Power consumption	7.5kW
Current draw	16.2A
Circulating air flow	7000m ³ /h
Humidity control range	40%-95%
Working temperature range	5~38°C
Drainage	Hose connection
Refrigerant	R407c / R410a
Noise	≤70dB
Net weight	340 kgs
Gross Weight	420 kgs
Dimension(L*W*H)	1380*615*1905mm
Packaging	1500*675*2055mm

DJ-9681E



Model number	DJ-9681E
Dehumidify capacity(30 °C 80%RH)	960L/D
Supply voltage	380V/50Hz
Power consumption	11kW
Current draw	23A
Circulating air flow	8500m ³ /h
Humidity control range	40%-95%
Working temperature range	5~38°C
Drainage	Hose connection
Refrigerant	R407c / R410a
Noise	≤70dB
Net weight	340 kgs
Gross Weight	420 kgs
Dimension(L*W*H)	1380*615*1905mm
Packaging	1500*675*2055mm

DJ-7281E **NEW**



Model number	DJ-7281E
Dehumidify capacity(30 °C 80%RH)	720L/D
Supply voltage	380V/50Hz
Power consumption	7.5kW
Current draw	16.2A
Circulating air flow	7000m ³ /h
Humidity control range	40%-95%
Working temperature range	5~38°C
Drainage	Hose connection
Refrigerant	R407c / R410a
Noise	≤70dB
Net weight	340 kgs
Gross Weight	420 kgs
Dimension(L*W*H)	1900*600*1860mm
Packaging	2020*660*2010mm

DJ-9681E **NEW**



Model number	DJ-9681E
Dehumidify capacity(30 °C 80%RH)	960L/D
Supply voltage	380V/50Hz
Power consumption	11kW
Current draw	23A
Circulating air flow	8500m ³ /h
Humidity control range	40%-95%
Working temperature range	5~38°C
Drainage	Hose connection
Refrigerant	R407c / R410a
Noise	≤70dB
Net weight	340 kgs
Gross Weight	420 kgs
Dimension(L*W*H)	1900*600*1860mm
Packaging	2020*660*2010mm